

# product spotlight

## VARIABLE SPEED FAN CONTROLLER

Adding the Variable Speed Fan Controller to an enclosure with fans extends not only the life of the fans, but also the equipment mounted within the enclosure. When not controlled, fan speeds remain at 100%, while the temperature in the enclosure can fluctuate. By adding the FTC103 fan controller to fans, the fans are able to be throttled to a speed as low as 60% and up to 100%, based on temperatures within the enclosure. This reduces energy consumption, the wear on the fan, and noise levels.

The fan controller is ideal for enclosures and wall mounts in small data rooms and wiring closets. Fans installed in these small areas can be overpowering in noise and energy usage, especially in wall mounts when 100% fan speed is not needed to cool equipment. The fan controller allows fans to provide the optimum amount of cool air to equipment at a comfortable noise level.

### Features


- Temperature probe with 10' cord
- 3' Outlet Cord, C13 to C14
- Thermal breaker requires no fuse
- 95-250V, 2.0 amp load
- Designed and assembled in the US
- RoHS compliant components
- Works with all Great Lakes fans
- Low-profile designed to install without interference



# GREAT LAKES CASE & CABINET



*Invest in Solid Engineering*



<b>Enclosure Temperature in F</b>	86°	92°	95°	101°	104°
<b>Percentage of Fan Speed</b>	60%	70%	80%	90%	100%

Based on temperatures within the enclosure, fan speed can be throttled to as low as 60%.

In an enclosure, the Variable Speed Fan Controller can be easily attached to Great Lakes Universal PDU Mounting Brackets (pictured) and “Zero-U” mounting brackets. It can also be attached to the Flexible Mounting Profile (FMP) points on the Great Lakes E and ES Series enclosure rails without sacrificing any valuable RMU space. When installing the fan controller in a wall mount, it can be attached to the rear rails (Great Lakes wall mounts come standard with 2 pair of rails).

*Note: Depending on your application, additional cords may be required. For more information, please call Great Lakes Technical Support at 1.866.TRY.GLCC*

#### **CORPORATE HEADQUARTERS**

P.O. Box 551  
Edinboro, PA 16412  
1.866.TRY.GLCC  
(1.866.879.4522)  
Phone: 814.734.7303  
Fax: 814.734.3907  
glcc@greatcabinets.com

#### **GREAT LAKES MANUFACTURING, INC.**

1521 Enterprise Road  
Corry, PA 16407  
Phone: 814.734.2436  
Fax: 814.665.7025  
werackyourworld.com  
glm@greatmanufacturing.net

#### **WESTERN DISTRIBUTION**

4750 Joule Street  
Reno, NV 89502  
Phone: 775.829.9913  
Fax: 775.829.9926  
glcc@greatcabinets.com

#### **GREAT LAKES INTERNATIONAL LTD.**

Aerbridge House, Unit 14  
Dunshaughlin Business Park  
Dunshaughlin Co. Meath  
Ireland  
Phone: 011 353 1 825 8777  
Fax: 011 353 1 825 8778

#### **GREAT LAKES HUNGARY KFT**

Zsurló utca 13  
8000 Székesfehérvár  
Hungary  
Phone: 011 36 22 880 420  
Fax: 011 36 22 880 429